

A1




Vert exaggeration = 5.0 Datum = 14.0

	C001	C002	C004	C006	C007
Link Name					
Section Type	225mm	225mm	225mm	225mm	225mm
Slope (1:X)	1:200.0	1:199.9	1:200.0	1:100.0	1:38.8
Cover Level (m)	18.050	18.000	18.010	18.095	18.705 / 16.680
Invert Level (m)	16.525	16.331 / 16.331	16.096 / 16.096	15.881 / 15.881	15.612 / 15.612 / 15.340
Length (m)	38.752	46.976	42.931	26.918	10.544




Vert exaggeration = 5.0 Datum = 14.0

	C009
Link Name	
Section Type	225mm
Slope (1:X)	1:27.9
Cover Level (m)	23.300 / 16.680
Invert Level (m)	17.170 / 15.340
Length (m)	50.995



Vert exaggeration = 5.0 Datum = 15.0

	C003
Link Name	
Section Type	225mm
Slope (1:X)	1:145.0
Cover Level (m)	18.100 / 18.010
Invert Level (m)	16.575 / 16.302
Length (m)	39.523



Vert exaggeration = 5.0 Datum = 14.0

	C005
Link Name	
Section Type	225mm
Slope (1:X)	1:80.1
Cover Level (m)	18.100 / 18.095
Invert Level (m)	16.375 / 15.881
Length (m)	39.588

GENERAL NOTES

1. © Copyright of this drawing is reserved by JODA Engineering Consultants 2024.
2. This drawing shall be read in conjunction with all relevant project drawings and specification.
3. All errors & omissions to be reported to the consulting engineer.
4. Do not scale dimensions from this drawing, use figured dimensions only.
5. JODA Engineering Consultants accepts no responsibility for errors made as a result of scaling of any unfigured dimension from this drawing.

Notes

1. Site Co-ordinates as shown to ITM
2. Levels to OSGM15 datum
3. contour levels where shown refer to existing ground levels
4. New waste water infrastructure will be constructed in accordance with Uisce Eireann requirements, as per the following documents:
   Code of Practice for Wastewater Infrastructure (CDS-5030-03)
   Wastewater Infrastructure Standard Details (CDS-5030-01)
5. Foul sewer pipes shall be structured thermoplastic pipes or unplasticized PVC pipes, all in accordance with section 13.3 of Uisce Eireann code of practice for wastewater infrastructure
6. Existing wastewater infrastructure will be protected with diversions as necessary all in accordance with the requirements of Uisce Eireann

Legend

Rev.	Revision Details	By	Chkd.	Date
S01	PLANNING	JR	TON	12.06.26

JODA ENGINEERING CONSULTANTS ESTD 1961
Civil | Structural | Mechanical | Electrical
Ballycurreen House, Ballycurreen, Cork
T12 P4AY | (021) 4544244 | www.joda.ie

Client: O'Flynn Group

Project: LRD, Old Fort Road, Ballincollig, Cork

Drg Title: Foul Sewer Long Sections

Scale Ref.	JODA Project No.	Status.
1:100	3866_02	Planning

Project - Originator - Vol/Sys - Levels - Type - Role - Number	Suitability.	Revision.
3866 - JODA - 02 - ZZ - DR - C - 3101	U1	S01